

Section 1 - Identification of the Material and Supplier

Richard Foot Pty Ltd

14/2 Apollo St
Warriewood, NSW 2102

Phone: 02 9979 8311 (office hours)

Fax: 02 9979 8098
sales@rfoot.com.au

Chemical nature: Cleaning Card with 100% IPA
Trade Name: Goodcard ATM30, Goodcard ATM50,
Biziwipes Eftpos Cleaning Card
Product Use: Cleaning card for Eftpos and Swipe Reader
Creation Date: September, 2016
This version issued: September, 2016 and is valid for 5 years from this date.

Section 2 - Hazards Identification

Hazard Classification: Cleaning card is classified as NON-HAZARDOUS SUBSTANCE according to the criteria of Approved Criteria for Classifying Hazardous Substances [NOHSC: 1008 (2004)].
Cleaning card is classified as NON-DANGEROUS GOOD according to the criteria of Australian Code for the Transport of Dangerous Goods by Road & Rail.

Risk Phrase(s) Not a Workplace Hazardous Substance.
Once opened, the Hazard Category is FLAMMABLE (R10)

Safety Phrase(s) Once opened:
S16 - Keep away from ignition sources - No smoking.
S25 - Avoid eye contact.
S26 - In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

Section 3 - Composition/Information on Ingredients

Each sachet contains a cleaning card with bonded material, saturated in the following:

Chemical Identity	Common names	CAS number	Proportion
Isopropyl Alcohol	IPA	67-63-0	100%

SAFETY DATA SHEET

Section 4 - First Aid Measures

Swallowed:	Rinse mouth with water. Give plenty of water to drink. Seek medical advice.
Eye:	Immediately flush the contaminated eye(s) with copious amounts of water for 15 minutes; seek medical advice.
Skin:	Wash thoroughly with soap and water. If irritation occurs, seek medical advice.
Inhalation:	Not an inhalation hazard at this concentration. Move individual to fresh air. Seek medical attention if effects persist.

Section 5 - Fire Fighting Measures

Suitable Extinguishing Media:	Fire fighters are to wear breathing apparatus if there is a risk of exposure to vapour or products of combustion. Use water spray, dry powder or carbon dioxide as the extinguishing media.
Hazards from Combustion Products:	Chemical is classified as a combustible solid for the purposes of storage and handling in accordance with AS 1940.
Hazchem Code:	Not applicable

Section 6 - Accidental Release Measures

Sachet Leak Procedure:	Only applicable if sachets are opened: Dispose of sachets by referring to State Land Waste Management Authority. Normally suitable for disposal at approved land waste sites.
-------------------------------	---

Section 7 - Handling and Storage

Handling Procedure:	Avoid eye contact, External Use Only, Single Use.
Storage Procedure:	Store below 30°C

Section 8 - Exposure Controls and Personal Protection

Handling Procedure:	Exposure Standards for Isopropyl Alcohol: - Time Weighted Average (TWA) 400 ppm (983 mg/m ³) - Short term exposure limits (STEL) 500 ppm (1230 mg/m ³)
Engineering Controls:	Natural Ventilation. Keep away from ignition sources.
Personal Protection:	Avoid prolonged skin contact & breathing in vapours in enclosed spaces. Avoid eye contact.

SAFETY DATA SHEET

Section 9 - Physical and Chemical Properties:

Appearance:	Cleaning card with bonded material, impregnated with 100% Isopropyl Alcohol, sealed in aluminium foil sachets.
Odour:	Alcohol odour
pH:	(Not available)

Isopropyl Alcohol

Vapour Pressure:	33 mmHg at 20°C
Vapour Density:	2.1 (air = 1)
Boiling point/range:	82.4°C
Freezing point:	-89.5°C
Solubility in water:	Complete
Specific Gravity (H₂O =1):	0.79
Flash Point (°C):	12.0
Flammable Limit (FL):	Lower FL: 2.0% Upper FL: 12.7%
Autoignition Temperature:	399°C

Section 10 - Stability and Reactivity

Isopropyl Alcohol

Chemical Stability:	Stable at room temperature.
Conditions to avoid:	Heat, sparks, flame and build-up of static electricity.
Incompatible Materials:	Will react with strong oxidising agents.
Hazardous	
Decomposition Products:	Burning can produce carbon monoxide and or carbon dioxide.
Hazardous Reactions:	None

Section 11 - Toxicological Information

No adverse health effects expected if the product is handled in accordance with this Safety Data Sheet and the product label. Symptoms that may arise (due to the presence of Isopropyl Alcohol) if the product is mishandled are listed as follows:

Isopropyl Alcohol

Swallowed:	Headache, dizziness, nausea. Swallowing a minor amount may cause throat irritation and vomiting.
Eye:	Vapour irritates the eyes at concentrations above 400ppm. Direct eye contact may cause eye irritation, pain and redness.
Skin:	Brief exposure is not irritating but prolonged contact can be irritating.
Inhalation:	Mild irritation to the nose, throat and upper respiratory tract can occur at concentrations above 400ppm.

SAFETY DATA SHEET

Section 12 - Ecological Information

Environmental Issues: No environmental issues expected due to the small quantity of flammable solvent contained in each swab.

Persistence & Degradability: No data available.

Mobility: No data available.

Section 13 - Disposal Considerations

Method of Disposal: Dispose of in accordance with local waste regulations.

Section 14 - Transport Information

Classification: Not defined as a Dangerous Good by the Australian Code for the Transport of Dangerous Goods by Road and Rail. No special precautions required.

UN Number: Not applicable.

Class risks: Not applicable.

Packing Group: Not applicable.

Special Precautions for user: Not applicable.

Hazchem Code: Not applicable.

Section 15 - Regulatory Information

Poison Schedule: Not a scheduled poison.

Section 16 - Other Information

Date of Issue: 14/09/2016
Date for Review: 14/09/2016

This document has been prepared as per the specifications set out by the National Occupational Health and Safety Commission (Safe Work Australia) [NOHSC: 2011(2003)].

This Material Safety Data Sheet summaries our best knowledge of the Health and Safety Hazard information of the product and how to safely handle and use the product; however, the information is provided without any warranty, express or implied, regarding its correctness.
This Material Safety Data Sheet was prepared and is to be used only for this product.

SAFETY DATA SHEET